Index

IEE Proceedings Part H
Microwaves, Antennas and Propagation
Vol. 134, 1987

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceesings

Author index

A

Ahmed, A.S. Role of particle-size distributions on millimetre-wave propagation in sand/duststorms p55
Alanen, E., Lindell, I.V., and Hujanen, A.T. Exact image method for field calculation in horizontally layered medium above a conducting ground plane e252
Albinsson, B. Noise parameter transformations of interconnected two-port networks p125
Allam, A.M.M.A., and Parker, E.A. Application of Pocklington's equation to analysis of dipole frequency-selective surfaces of finite size p521
Andrasic, G., James, J.R., and Hall, C.M. see James, J.R.
Andres, M.V., and Such, V. Cylindrical surface waveguide modes using a surface impedance dyadic method p130 e252
Andres, M.V., and Such, V. Effects of an intervening airgap on the two fundamental modes of a surface waveguide p1
Andres, M.V., and Such, V. Mode classification in cylindrical surface waveguides p389

B

Balakrishnan, N., Poulose, M.M., and Mahapatra, P.R. see Poulose, M.M.
Bar-Lev, A., Dreifuss, J., and Madjar, A. see Dreifuss, J.
Bebbington, D.H.O., McGuinness, R., and Holt, A.R. Correction of propagation effects in S-band circular polarisation-diversity radars p431
Bebbington, D.H.O., McGuinness, R., and Holt, A.R. see McGuinness, R.
Bedair, S.S. Closed form expressions for computer-aided design of suspended microstrip circuits for millimetre-wave applications p386
Beeckman, P.A. Control of far-field radiation patterns of microwave reflector antennas by using serrated edges p270
Bennett, J.C., and Farhat, K.S. Wavefront quality in antenna pattern measurement: the use of residuals p30
Bermudes, L.A., Jiao, X.H., and Guillon, P. see Jiao, X.H.
Bialkowski, M.E., and Woods, G.S. Design and analysis of a six-port receiver for use in near-field antenna measurements p515
Bird, T.S. Exact solution of open-ended coaxial waveguide with centre conductor of infinite extent and applications p443
Boghdady, H.N., Mahmoud, S.F., and El-Sayed, O.L. see Mahmoud, S.F.
Bolomey, J. Ch., Gironés, J.M., Jofre, L., Ferrando, M., and de los Reyes, E. see Gironés, J.M.
Brandwood, D.H. Noise-space projection: MUSIC without eigenvectors p303
Brazil, T.J., and Cherek, B. see Cherek, B.
Brown, R.C., Clarricoats, P.J.B., and Ramanujam, P. see Clarricoats, P.J.B.
Brown, R.C., Ramanujam, P., and Clarricoats, P.J.B. see Ramanujam, P.
Butler, C.M., and Michalski, K.A. see Michalski, K.A.

C

Carroll, J.E., and Islam, S. see Islam, S.
Chadha, R., and Gibbins, C.J. see Gibbins, C.J.
Chakraborty, A., Das, B.N., and Raju, G.S.N. see Das, B.N.
Chandra, ., Leong, M.S., and Kooi, P.S. see Leong, M.S.
Chang, T.N. Hybrid-mode analysis of shielded single and coupled slotlines on a suspended substrate p327
Chang, T.N. Transverse modal analysis of multilayer microstrip transmission lines p324
Cherek, B., and Brazil, T.J. Simple method of calculation and measurement for coupled microstrip lines p478
Chiba, T., Suzuki, Y., and Miyano, N. see Suzuki, Y.
Chramiec, J., and Glass, A.M. Analysis of microstrip-slotline ring 3 dB directional couplers e252
Clarke, J., and Rider, G. Long-range propagation experiment to investigate the incidence of anomalous propagation in the North Atlantic p65
Clarricoats, P.J.B., Brown, R.C., and Ramanujam, P. Comparative study of reflector antennas for small earth stations p538
Clarricoats, P.J.B., Ramanujam, P., and Brown, R.C. see Ramanujam, P.
Cortinez, V.H., and Laura, P.A.A. see Laura, P.A.A.
Cullen, A.L., and Yeo, S.P. Using the least-squares boundary residual method to model the symmetrical five-port waveguide junction p116

D

Damiano, J.P. Computation of input impedance in microstrip antennas. Graphic representation and numerical integration of oscillating functions p456 e501
Das, B.N., Raju, G.S.N., and Chakraborty, A. Investigations on a new type of inclined-slot coupled T-junction p473
Dekleva, J., and Roje, V. Accurate numerical solution of coupled integral equations for microstrip transmission line p163
de los Reyes, E., Gironés, J.M., Jofre, L., Ferrando, M., and Bolomey, J. Ch. see Gironés, J.M.
Deshpande, Manohar D., and Jagadeswara Reddy, C. see Jagadeswara Reddy, C.
Dreifuss, J., Madjar, A., and Bar-Lev, A. New method for the analysis of dual-gate MESFET mixers p11

E

El-Minyawi, N.M.H. Single sided slotline microstrip transition p101
El-Sayed, O.L., Mahmoud, S.F., and Boghdady, H.N. see Mahmoud, S.F.
Elsherbeni, A.Z., and Hamid, M. Novel cylindrical-wave spectrum for analysis of scattering by multiple bodies p35
Evans, S., and Marsland, T.P. see Marsland, T.P.
Evans, S., and Reader, H.C. see Reader, H.C.

F

Falk, K. Conductance of a longitudinal, resonant slot in a ridge waveguide p98
Farhat, K.S., and Bennett, J.C. see Bennett, J.C.
Farooq, U. Sensitive method of measuring dielectric losses at microwave frequencies p397
Ferrando, M., Gironés, J.M., Jofre, L., de los Reyes, E., and Bolomey, J. Ch. see Gironés, J.M.
Franceschetti, G., and Schirinzi, G. New ideas in imaging antennas p438
Frenkel, A., and Kol, Y. see Kol, Y.

G

Gang, Xu Engineering model for arbitrarily shaped microstrip antennas based on the collocation method p83
Gardiol, F., and Sphicopoulos, T. see Sphicopoulos, T.
Gibbins, C.J., and Chadha, R. Millimetre-wave propagation through hydrocarbon flame p169
Gibson, A.A.P., and Helszajn, J. see Helszajn, J.
Gironés, J.M., Jofre, L., Ferrando, M., de los Reyes, E., and Bolomey, J. Ch. Microwave imaging with crossed linear arrays p249
Glass, A.M., and Chramiec, J. see Chramiec, J.
Griffin, E.J., and Hodgetts, T.E. Estimating the residual error from calibrating a reflectometer with a sliding termination p560
Guillon, P., Jiao, X.H., and Bermudes, L.A. see Jiao, X.H.
Guillon, P., and Vigneron, S. see Vigneron, S.
Gunn, M.W., and Tang, T. see Tang, T.

H

Hajnal, J.V. Compound modulated scatterer measuring system p350
Hall, C.M., James, J.R., and Andrasic, G. see James, J.R.
Hall, P.S., and Prior, C.J. Microstrip feeds for prime focus fed reflector antennas p185
Hamid, M., and Elsherbeni, A.Z. see Elsherbeni, A.Z.
Hansen, R.C. Short-pulse excitation of reflector antennas p557
Hansen, V. Finite array of printed dipoles with a dielectric cover p261
Hassan, E.E. Simple solution of dispersion characteristics of shielded stripline p566
Hastings, W.I., and Helszajn, J. WRD 200 90° waveguide differential phase-shift section p223
Hayashi, Y., and Kitazawa, T. see Kitazawa, T.
Helszajn, J. Design of quarter-wave plates using a cavity-resonator technique p139
Helszajn, J., and Gibson, A.A.P. -Mode nomenclature of circular gyromagnetic and anisotropic waveguides wiyh magnetic and open walls p488
Helszajn. J., and Hastings, W.I. see Hastings, W.I.
Henderson, A. Low-cost flat-plate array with squinted beam for DBS reception p509
Hernandez, A., Sanchez, M.C., Martin, E., Margineda, J., and Zamarro, J.M. see Sanchez, M.C.
Hodgetts, T.E., and Griffin, E.J. see Griffin, E.J.
Holden, A.J., and Oxley, C.H. see Oxley, C.H.
Holt, A.R., Bebbington, D.H.O., and McGuinness, R. see Bebbington, D.H.O.
Holt, A.R., McGuinness, R., and Bebbington, D.H.O. see McGuinness, R.
Horno, M., and Marquès, R. see Marquès, R.
Horno, M., and Marquès, R. Nonsymmetrical broadside-coupled microstrips in multilayered anisotropic media p400
Hristov, H.D., and Savov, S.V. see Savov, S.V.
Hudson, J.E. Fast signal acquisition by an adaptive antenna moving in a multipath field p174 e404
Hujanen, A.T., Alanen, E., and Lindell, I.V. see Alanen, E.

I

Islam, S., and Carroll, J.E. Dual-function multi-way uniform combline directional couplers for application to monopulse feed system p481

J

Jagadeswara Reddy, C., and Deshpande, Manohar D. Analysis of broad side coupled inhomogeneous cylindrical striplines p545
James, G.L. Radiation-pattern control of Cassegrain antennas p217
James, J.R., Hall, C.M., and Andrasic, G. Angled dual compact hyperthermic applicators p315
Jiao, X.H., Guillon, P., and Bermudes, L.A. - Resonant frequencies of whispering-gallery dielectric resonator modes p497
Jofre, L., Gironés, J.M., Ferrando, M., de los Reyes, E., and Bolomey, J. Ch. see Gironés, J.M.
Johansson, F.S. Convergence phenomenon in the solution of dichroic scattering problems by Galerkin's method p87
Judah, S., Page, M.J., and Judd, M. Planar symmetrical six-port junction p109
Judd, M., Judah, S., and Page, M.J. see Judah, S.

K

Kanellopoulos, J.D., and Kolliopoulos, N.J. Analysis of the statistical distribution of accumulated thermal noise in a multilink microwave system p467
Kennedy, R.A. Parametric study of shaped Cassegrain antennas p297
Kishk, A.A., and Shafai, L. Gain enhancement of antennas over finite ground plane covered by a dielectric sheet p60
Kitazawa, T., and Hayashi, Y. Quasistatic and hybrid-mode analysis of shielded coplanar waveguide with thick metal coating p321
Kitazawa, T., and Hayashi, Y. Variational method for coplanar waveguide with anisotropic substrates p7
Kol, Y., and Frenkel, A. Finite-element analysis of parallel-plate feeds for linear phased arrays p235
Kolliopoulos, N.J., and Kanellopoulos, J.D. see Kanellopoulos, J.D.
Kolundžija, B.M., and Popović, B.D. see Popović, B.D.
Kooi, P.S., Leong, M.S., and Chandra, . see Leong, M.S.
Kooi, P.S., Leong, M.S., and Yeo, S.P. see Leong, M.S.

Kori, M.H., and Mahapatra, S. Integral analysis of hybrid coupled semiconductor phase shifters p156 e252
Kumar, A. Highly shaped beam telemetry antenna for the ERS-1 satellite p106

L

Laura, P.A.A., and Cortinez, V.H. Cutoff frequencies of waveguides of arbitrary cross-section: optimisation of Kohn-Kato bounds p226
Leong, M.S., Kooi, P.S., and Chandra, . Capacitance of shielded microstripline: closed form quasi-TEM results suitable for computer-aided design p393
Leong, M.S., Kooi, P.S., and Yeo, S.P. Modal analysis of dielectric-sleeve-loaded circular waveguide for dual-mode radiator applications p369
Lindell, I.V., Alanen, E., and Hujanen, A.T. see Alanen, E.

M

Macnamara, T. Simplified design procedures for Butler matrices incorporating 90° hybrids or 180° hybrids p50
Madjar, A., Dreifuss, J., and Bar-Lev, A. see Dreifuss, J.
Mahapatra, P.R., Poulose, M.M., and Balakrishnan, N. see Poulose, M.M.
Mahapatra, S., and Kori, M.H. see Kori, M.H.
Mahmoud, S.F., Boghdady, H.N., and El-Sayed, O.L. Analysis of multipath fading on line-of-sight links in the presence of an elevated atmospheric duct p71
Mansour, N.A., and Tinga, W.R. Generalised nonlinear theory for one-port microwave active circuits p411
Mansour, N.A. and Tinga, W.R. Nonlinear modelling applied to one-port microwave active circuits p417
Margineda, J., Sanchez, M.C., Hernandez, A., Martin, E., and Zamarro, J.M. see Sanchez, M.C.
Marquès, R., and Horno, M. see Horno, M.
Marquès, R., and Horno, M. On the spectral dyadic Green's function for stratified linear media. Application to multilayer MIC lines with anisotropic dielectrics p241 e404
Marsland, T.P., and Evans, S. Dielectric measurements with an open-ended coaxial probe p341
Martin, E., Sanchez, M.C., Hernandez, A., Margineda, J., and Zamarro, J.M. see Sanchez, M.C.
McCormick, A.H.I., and Sangster, A.J. see Sangster, A.J.
McGuinness, R., Bebbington, D.H.O., and Holt, A.R. Moldelling propagation effects in the use of *S*-band polarisation-diversity radars p423
McGuinness, R., Bebbington, D.H.O., and Holt, A.R. see Bebbington, D.H.O.
Michalski, K.A., and Butler, C.M. Evaluation of Sommerfeld integrals arising in the ground stake antenna problem p93
Milne, K. Synthesis of power radiation patterns for linear array antennas p285
Miyamoto, T. Rigorous analysis of dielectric rod waveguides with flat cross-section p16
Miyano, N., Suzuki, Y., and Chiba, T. see Suzuki, Y.
Morgan, G.B., and Singh, D. see Singh, D.
Morgan, G.B., and Singh, D. Integrated circuit narrowband dielectric filters for *D*-band p330
Moupfouma, F. -More about rainfall rates and their prediction for radio systems engineering p527
Mylvaganam, K.S. Coaxial line to stripline directional coupler p145

N

Nickel, U. Angle estimation with adaptive arrays and its relation to super-resolution p77

O

Oxley, C.H., and Holden, A.J. Simple models for high-frequency MESFETS and comparison with experimental results e6
Özmehmet, K. New frequency dependent equivalent circuit for gap discontinuities of microstriplines p333

P

Page, M.J., Judah, S., and Judd, M. see Judah, S.
Paoloni, F.J. Implementation of microwave diffraction tomography for measurement of dielectric constant distribution p25
Parker, E.A., and Allam, A.M.M.A. see Allam, A.M.M.A.
Popović, B.D., and Kolundžija, B.M. Analysis of a class of symmetrical thin-plate triangular antennas p205
Poulose, M.M., Mahapatra, P.R., and Balakrishnan, N. Terrain modelling of glideslope for instrument landing system p275 e404
Prior, C.J., and Hall, P.S. see Hall, P.S.

R

Raju, G.S.N., Das, B.N., and Chakraborty, A. see Das, B.N.
Ramanujam, P., Clarricoats, P.J.B., and Brown, R.C. see Clarricoats, P.J.B.
Ramanujam, P., Clarricoats, P.J.B., and Brown, R.C. Offset spherical reflector with a low sidelobe radiation pattern p199 e252
Reader, H.C., and Evans, S. Feed-point reflection coefficient of an element in a scanning antenna array: time-domain measurements p211
Rider, G., and Clarke, J. see Clarke, J.
Rogers, P.G. Design of compact low-loss Rotman lenses p449
Roje, V., and Dekleva, J. see Dekleva, J.

S

Sanchez, M.C., Hernandez, A., Martin, E., Margineda, J., and Zamarro, J.M. New method for the measurement of coupling coefficients of transmission cavities p103
Sangster, A.J., and McCormick, A.H.I. Moment method applied to round-ended slots p310
Savov, S.V., and Hristov, H.D. Cavity-backed slot array analysis p280
Şeker, S., and Schneider, A. Stochastic model for pulsed radio transmission through stratified forests p361 e501
Schirinzi, G., and Franceschetti, G. see Franceschetti, G.
Schneider, A., and Şeker, S. see Şeker, S.
Shafai, L., and Kishk, A.A. see Kishk, A.A.
Sillars, D.B. Odd- and even-mode coupled-slot finline circuits p229
Singh, D., and Morgan, G.B. see Morgan, G.B.
Singh, D., and Morgan, G.B. Higher mode resonances of high permitivity square cuboid dielectric resonators on integrated circuit substrates p563
Sinha, Sachendra N. A generalised network formulation for a class of waveguide coupling problems p502
Smith, M.S., and Sole, G.C. see Sole, G.C.
Sole, G.C., and Smith, M.S. Multiple beam forming for planar antenna arrays using a three-dimensional Rotman lens p375
Sphicopoulos, T., and Gardiol, F. Slotted tube cavity: A compact resonator with empty core p405
Stone, A.P. EM lens waveguide transition p181
Such, V., and Andres, M.V. see Andres, M.V.
Suzuki, Y., Miyano, N., and Chiba, T. Circularly polarised radiation from singly fed equilateral-triangular microstrip antenna p194

T

Tang, T., and Gunn, M.W. Noise considerations in active monopoles p45
Tinga, W.R., and Mansour, N.A. see Mansour, N.A.

V

Vigneron, S., and Guillon, P. Mode matching method for determination of the resonant frequency of a dielectric resonator placed in a metallic box p151

W

Weiglhofer, W. Scalarisation of Maxwell's equations in general inhomogeneous bianisotropic media p357
Woods, G.S., and Bialkowski, M.E. see Bialkowski, M.E.

Y

Yarman, B.S. New circuit configurations for designing 0–180° digital phase shifters p253
Yeo, S.P., Leong, M.S., and Kooi, P.S. see Leong, M.S.
Yeo, S.P., and Cullen, A.L. see Cullen, A.L.

Z

Zamarro, J.M., Sanchez, M.C., Hernandez, A., Martin, E., and Margineda, J. see Sanchez, M.C.

Book reviews

Microwave field-effect transistors — theory, design and applications (2nd edn.) R.S. Pengelly p403 e472
Microwave theory, components and devices J.A. Seeger p476

ACTIVE NETWORKS

Nonlinear modelling applied to one-port microwave active circuits. N.A. Mansour and W.R. Tinga p417

ALGORITHMS

On the spectral dyadic Green's function for stratified linear media. Application to multilayer MIC lines with anisotropic dielectrics. R. Marqués and M. Horno p241 e404

ANTENNAS (ACTIVE)

Noise considerations in active monopoles. T. Tang and M.W. Gunn p45

ANTENNAS (ADAPTIVE)

Angle estimation with adaptive arrays and its relation to super-resolution. U. Nickel p77
Fast signal acquisition by an adaptive antenna moving in a multipath field. J.E. Hudson p174 e404
Noise-space projection: MUSIC without eigenvectors. D.H. Brandwood p303

ANTENNAS (APERTURE)

EM lens waveguide transition. A.P. Stone p181

ANTENNAS (ARRAYS)

Application of Pocklington's equation to analysis of dipole frequency-selective surfaces of finite size. A.M.M.A. Allam and E.A. Parker p521
Cavity-backed slot array analysis. S.V. Savov and H.D. Hristov p280
Design of compact low-loss Rotman lenses. P.G. Rogers p449
Finite array of printed dipoles with a dielectric cover. V. Hansen p261
Finite-element analysis of parallel-plate feeds for linear phased arrays. Y. Kol and A. Frenkel p235
Multiple beam forming for planar antenna arrays using a three-dimensional Rotman lens. G.C. Sole and M.S. Smith p375
New ideas in imaging antennas. G. Franceschetti and G. Schirinzi p438
Simplified design procedures for Butler matrices incorporating 90° hybrids or 180° hybrids. T. Macnamara p50
Synthesis of power radiation patterns for linear array antennas. K. Milne p285

ANTENNAS (DIPOLE)

Exact image method for field calculation in horizontally layered medium above a conducting ground plane. E. Alanen, I.V. Lindell and A.T. Hujanen e252

ANTENNAS (HORNS AND FEEDS)

Exact solution of open-ended coaxial waveguide with centre conductor of infinite extent and applications. T.S. Bird p443
Microstrip feeds for prime focus fed reflector antennas. P.S. Hall and C.J. Prior p185
Modal analysis of dielectric-sleeve-loaded circular waveguide for dual-mode radiator applications. M.S. Leong, P.S. Kooi and S.P. Yeo p369

ANTENNAS (MEASUREMENTS)

Compound modulated scatterer measuring system. J.V. Hajnal p350
Design and analysis of a six-port receiver for use in near-field antenna measurements. M.E. Bialkowski and G.S. Woods p515
Dielectric measurements with an open-ended coaxial probe. T.P. Marsland and S. Evans p341
Feed-point reflection coefficient of an element in a scanning antenna array: time-domain measuremenis. H.C. Reader and S. Evans p211
Wavefront quality in antenna pattern measurement: the use of residuals. J.C. Bennett and K.S. Farhat p30

ANTENNAS (MICROSTRIP)

Angled dual compact hyperthermic applicators. J.R. James, C.M. Hall and G. Andrasic p315
Circularly polarised radiation from singly fed equilateral-triangular microstrip antenna. Y. Suzuki, N. Miyano and T. Chiba p194
Computation of input impedance in microstrip antennas. Graphic representation and numerical integration of oscillating functions. J.P. Damiano p456 e501
Engineering model for arbitrarily shaped microstrip antennas based on the collocation method. Xu Gang p83
Exact image method for field calculation in horizontally layered medium above a conducting ground plane. E. Alanen, I.V. Lindell and A.T. Hujanen e252
Finite array of printed dipoles with a dielectric cover. V. Hansen p261
Low-cost flat-plate array with squinted beam for DBS reception. A. Henderson p509
Microstrip feeds for prime focus fed reflector antennas. P.S. Hall and C.J. Prior p185

ANTENNAS (REFLECTORS)

Comparative study of reflector antennas for small earth stations. P.J.B. Clarricoats, R.C. Brown and P. Ramanujam p538
Control of far-field radiation patterns of microwave reflector antennas by using serrated edges. P.A. Beeckman p270
Convergence phenomenon in the solution of dichroic scattering problems by Galerkin's method. F.S. Johansson p87
Gain enhancement of antennas over finite ground plane covered by a dielectric sheet. A.A. Kishk and L. Shafai p60
Highly shaped beam telemetry antenna for the ERS-1 satellite. A. Kumar p106
Microstrip feeds for prime focus fed reflector antennas. P.S. Hall and C.J. Prior p185
Offset spherical reflector with a low sidelobe radiation pattern. P. Ramanujam, P.J.B. Clarricoats and R.C. Brown p199 e252
Parametric study of shaped Cassegrain antennas. R.A. Kennedy p297
Radiation-pattern control of Cassegrain antennas. G.L. James p217
Short-pulse excitation of reflector antennas. R.C. Hansen p557

ANTENNAS (SLOT)

Cavity-backed slot array analysis. S.V. Savov and H.D. Hristov p280
Moment method applied to round-ended slots. A.J. Sangster and A.H.I. McCormick p310

ANTENNAS (THEORY)

Analysis of a class of symmetrical thin-plate triangular antennas. B.D. Popović and B.M. Kolundžija p205
Cavity-backed slot array analysis. S.V. Savov and H.D. Hristov p280
Control of far-field radiation patterns of microwave reflector antennas by using serrated edges. P.A. Beeckman p270
Evaluation of Sommerfeld integrals arising in the ground stake antenna problem. K.A. Michalski and C.M. Butler p93
Gain enhancement of antennas over finite ground plane covered by a dielectric sheet. A.A. Kishk and L. Shafai p60
Moment method applied to round-ended slots. A.J. Sangster and A.H.I. McCormick p310
New ideas in imaging antennas. G. Franceschetti and G. Schirinzi p438

ANTENNAS (TIME DOMAIN)

Feed-point reflection coefficient of an element in a scanning antenna array: time-domain measurements. H.C. Reader and S. Evans p211

ANTENNAS (WIRE)

Analysis of a class of symmetrical thin-plate triangular antennas. B.D. Popović and B.M. Kolundžija p205

ARRAY PROCESSING

Microwave imaging with crossed linear arrays. J.M. Gironés, L. Jofre, M. Ferrando, E. de los Reyes and J. Ch. Bolomey p249

BIOMEDICAL APPLICATIONS

Angled dual compact hyperthermic applicators. J.R. James, C.M. Hall and G. Andrasic p315
Implementation of microwave diffraction tomography for measurement of dielectric constant distribution. F.J. Paoloni p25

CALIBRATION

Estimating the residual error from calibrating a reflectometer with a sliding termination. E.J. Griffin and T.E. Hodgetts p560

CIRCUIT THEORY AND DESIGN

New circuit configurations for designing 0–180° digital phase shifters. B.S. Yarman p253

COAXIAL COMPONENTS

Dielectric measurements with an open-ended coaxial probe. T.P. Marsland and S. Evans p341

COMPUTER-AIDED DESIGN

Capacitance of shielded microstripline: closed form quasi-TEM results suitable for computer-aided design. M.S. Leong, P.S. Kooi and . Chandra p393
Closed form expressions for computer-aided design of suspended microstrip circuits for millimetre-wave applications. S.S. Bedair p386
Simple models for high-frequency MESFETS and comparison with experimental results. C.H. Oxley and A.J. Holden e6

CONVERTORS

Analysis of microstrip-slotline ring 3 dB directional couplers. J. Chramiec and A.M. Glass e252

DIELECTRIC MATERIALS

-Resonant frequencies of whispering-gallery dielectric resonator modes. X.H. Jiao, P. Guillon and L.A. Bermudes p497
Dielectric measurements with an open-ended coaxial probe. T.P. Marsland and S. Evans p341
Higher mode resonances of high permitivity square cuboid dielectric resonators on integrated circuit substrates. D. Singh and G.B. Morgan p563
Sensitive method of measuring dielectric losses at microwave frequencies. U. Farooq p397

DIGITAL CIRCUITS

New circuit configurations for designing 0–180° digital phase shifters. B.S. Yarman p253

DIODES

Integral analysis of hybrid coupled semiconductor phase shifters. M.H. Kori and S. Mahapatra p156 e252

ELECTROMAGNETIC THEORY

Application of Pocklington's equation to analysis of dipole frequency-selective surfaces of finite size. A.M.M.A. Allam and E.A. Parker p521
Convergence phenomenon in the solution of dichroic scattering problems by Galerkin's method. F.S. Johansson p87
Evaluation of Sommerfeld integrals arising in the ground stake antenna problem. K.A. Michalski and C.M. Butler p93
Exact image method for field calculation in horizontally layered medium above a conducting ground plane. E. Alanen, I.V. Lindell and A.T. Hujanen e252
Scalarisation of Maxwell's equations in general inhomogeneous bianisotropic media. W. Weiglhofer p357
Stochastic model for pulsed radio transmission through stratified forests. S. Şeker and A. Schneider p361 e501

FERRITES AND FERROMAGNETICS

Mode nomenclature of circular gyromagnetic and anisotropic waveguides wiyh magnetic and open walls. J. Helszajn and A.A.P. Gibson p488
Design of quarter-wave plates using a cavity-resonator technique. J. Helszajn p139
WRD 200 90° waveguide differential phase-shift section. W.I. Hastings and J. Helszajn p223

FIELD-EFFECT TRANSISTORS

New method for the analysis of dual-gate MESFET mixers. J. Dreifuss, A. Madjar and A. Bar-Lev p11

FILTERS AND FILTERING

Integrated circuit narrowband dielectric filters for *D*-band. G.B. Morgan and D. Singh p330

IMAGE PROCESSING

Microwave imaging with crossed linear arrays. J.M. Gironés, L. Jofre, M. Ferrando, E. de los Reyes and J. Ch. Bolomey p249

INSTRUMENTATION AND MEASURING SCIENCE

Estimating the residual error from calibrating a reflectometer with a sliding termination. E.J. Griffin and T.E. Hodgetts p560

INTEGRATED CIRCUITS

Integrated circuit narrowband dielectric filters for *D*-band. G.B. Morgan and D. Singh p330

MATHEMATICAL TECHNIQUES

A generalised network formulation for a class of waveguide coupling problems. Sachendra N. Sinha p502
Convergence phenomenon in the solution of dichroic scattering problems by Galerkin's method. F.S. Johansson p87
Evaluation of Sommerfeld integrals arising in the ground stake antenna problem. K.A. Michalski and C.M. Butler p93
Mode matching method for determination of the resonant frequency of a dielectric resonator placed in a metallic box. S. Vigneron and P. Guillon p151
Noise-space projection: MUSIC without eigenvectors. D.H. Brandwood p303
Novel cylindrical-wave spectrum for analysis of scattering by multiple bodies. A.Z. Elsherbeni and M. Hamid p35
Scalarisation of Maxwell's equations in general inhomogeneous bianisotropic media. W. Weiglhofer p357
Using the least-squares boundary residual method to model the symmetrical five-port waveguide junction. A.L. Cullen and S.P. Yeo p116

MICROSTRIP AND STRIPLINE

Accurate numerical solution of coupled integral equations for microstrip transmission line. J. Dekleva and V. Roje p163
Analysis of broad side coupled inhomogeneous cylindrical striplines. C. Jagadeswara Reddy and Manohar D. Deshpande p545
Analysis of microstrip-slotline ring 3 dB directional couplers. J. Chramiec and A.M. Glass e252
Capacitance of shielded microstripline: closed form quasi-TEM results suitable for computer-aided design. M.S. Leong, P.S. Kooi and . Chandra p393
Closed form expressions for computer-aided design of suspended microstrip circuits for millimetre-wave applications. S.S. Bedair p386
Coaxial line to stripline directional coupler. K.S. Mylvaganam p145
New frequency dependent equivalent circuit for gap discontinuities of microstriplines. K. Özmehmet p333
Nonsymmetrical broadside-coupled microstrips in multilayered anisotropic media. M. Horno and R. Marqués p400
On the spectral dyadic Green's function for stratified linear media. Application to multilayer MIC lines with anisotropic dielectrics. R. Marqués and M. Horno p241 e404
Simple method of calculation and measurement for coupled microstrip lines. B. Cherek and T.J. Brazil p478
Simple solution of dispersion characteristics of shielded stripline. E.E. Hassan p566
Single sided slotline microstrip transition. N.M.H. El-Minyawi p101
Transverse modal analysis of multilayer microstrip transmission lines. T.N. Chang p324
Variational method for coplanar waveguide with anisotropic substrates. T. Kitazawa and Y. Hayashi p7

MICROWAVE ACTIVE COMPONENTS

Mode matching method for determination of the resonant frequency of a dielectric resonator placed in a metallic box. S. Vigneron and P. Guillon p151

MICROWAVE CIRCUITS AND NETWORKS

A generalised network formulation for a class of waveguide coupling problems. Sachendra N. Sinha p502
Finite-element analysis of parallel-plate feeds for linear phased arrays. Y. Kol and A. Frenkel 35
Generalised nonlinear theory for one-port microwave active circuits. N.A. Mansour and W.R. Tinga p411
Integrated circuit narrowband dielectric filters for *D*-band. G.B. Morgan and D. Singh p330
New circuit configurations for designing 0–180° digital phase shifters. B.S. Yarman p253
Noise parameter transformations of interconnected two-port networks. B. Albinsson p125
Nonlinear modelling applied to one-port microwave active circuits. N.A. Mansour and W.R. Tinga p417
Odd- and even-mode coupled-slot fin-line circuits. D.B. Sillars p229
Simple models for high-frequency MESFETS and comparison with experimental results. C.H. Oxley and A.J. Holden e6

MICROWAVE COMMUNICATIONS

Analysis of the statistical distribution of accumulated thermal noise in a multilink microwave system. J.D. Kanellopoulos and N.J. Kolliopoulos p467
Millimetre-wave propagation through hydrocarbon flame. C.J. Gibbins and R. Chadha p169

MICROWAVE INTEGRATED CIRCUITS

Resonant frequencies of whispering-gallery dielectric resonator modes. X.H. Jiao, P. Guillon and L.A. Bermudes p497
Analysis of broad side coupled inhomogeneous cylindrical striplines. C. Jagadeswara Reddy and Manohar D. Deshpande p545
Higher mode resonances of high permitivity square cuboid dielectric resonators on integrated circuit substrates. D. Singh and G.B. Morgan p563
New frequency dependent equivalent circuit for gap discontinuities of microstriplines. K. Özmehmet p333
On the spectral dyadic Green's function for stratified linear media. Application to multilayer MIC lines with anisotropic dielectrics. R. Marqués and M. Horno p241 e404

MICROWAVE MEASUREMENTS

Compound modulated scatterer measuring system. J.V. Hajnal p350
Design and analysis of a six-port receiver for use in near-field antenna measurements. M.E. Bialkowski and G.S. Woods p515
Implementation of microwave diffraction tomography for measurement of dielectric constant distribution. F.J. Paoloni p25
New method for the measurement of coupling coefficients of transmission cavities. M.C. Sanchez, A. Hernandez, E. Martin, J. Margineda and J.M. Zamarro p103
Planar symmetrical six-port junction. S. Judah, M.J. Page and M. Judd p109

MICROWAVE PASSIVE COMPONENTS

Accurate numerical solution of coupled integral equations for microstrip transmission line. J. Dekleva and V. Roje p163
Coaxial line to stripline directional coupler. K.S. Mylvaganam p145
Cylindrical surface waveguide modes using a surface impedance dyadic method. M.V. Andres and V. Such p130 e252
Design of compact low-loss Rotman lenses. P.G. Rogers p449
Dual-function multi-way uniform combline directional couplers for application to monopulse feed system. S. Islam and J.E. Carroll p481
Hybrid-mode analysis of shielded single and coupled slotlines on a suspended substrate. T.N. Chang p327
Integral analysis of hybrid coupled semiconductor phase shifters. M.H. Kori and S. Mahapatra p156 e252
New frequency dependent equivalent circuit for gap discontinuities of microstriplines. K. Özmehmet p333
Sensitive method of measuring dielectric losses at microwave frequencies. U. Farooq p397
Simplified design procedures for Butler matrices incorporating 90° hybrids or 180° hybrids. T. Macnamara p50

MICROWAVE SYSTEMS

Microwave imaging with crossed linear arrays. J.M. Gironés, L. Jofre, M. Ferrando, E. de los Reyes and J. Ch. Bolomey p249
New method for the measurement of coupling coefficients of transmission cavities. M.C. Sanchez, A. Hernandez, E. Martin, J. Margineda and J.M. Zamarro p103

MICROWAVE TUBES

Slotted tube cavity: A compact resonator with empty core. T. Sphicopoulos and F. Gardiol p405

MILLIMETRE WAVE DEVICES AND COMPONENTS

Resonant frequencies of whispering-gallery dielectric resonator modes. X.H. Jiao, P. Guillon and L.A. Bermudes p497
Closed form expressions for computer-aided design of suspended microstrip circuits for millimetre-wave applications. S.S. Bedair p386
Higher mode resonances of high permitivity square cuboid dielectric resonators on integrated circuit substrates. D. Singh and G.B. Morgan p563
Integrated circuit narrowband dielectric filters for *D*-band. G.B. Morgan and D. Singh p330
Millimetre-wave propagation through hydrocarbon flame. C.J. Gibbins and R. Chadha p169

MODELLING

Nonlinear modelling applied to one-port microwave active circuits. N.A. Mansour and W.R. Tinga p417
Using the least-squares boundary residual method to model the symmetrical five-port waveguide junction. A.L. Cullen and S.P. Yeo p116

NETWORKS

Noise parameter transformations of interconnected two-port networks. B. Albinsson p125

NOISE AND INTERFERENCE

Noise parameter transformations of interconnected two-port networks. B. Albinsson p125

NUMERICAL ANALYSIS

Analysis of a class of symmetrical thin-plate triangular antennas. B.D. Popović and B.M. Kolundžija p205
Rigorous analysis of dielectric rod waveguides with flat cross-section. T. Miyamoto p16

OPTICAL FIBRES

Rigorous analysis of dielectric rod waveguides with flat cross-section. T. Miyamoto p16

OPTICS

Novel cylindrical-wave spectrum for analysis of scattering by multiple bodies. A.Z. Elsherbeni and M. Hamid p35

OPTIMISATION

Cutoff frequencies of waveguides of arbitrary cross-section: optimisation of Kohn-Kato bounds. P.A.A. Laura and V.H. Cortínez p226

PERMITTIVITY

Dielectric measurements with an open-ended coaxial probe. T.P. Marsland and S. Evans p341

PHASING AND PHASE CONTROL

Integral analysis of hybrid coupled semiconductor phase shifters. M.H. Kori and S. Mahapatra p156 e252

PROPAGATION IN RANDOM MEDIA

Millimetre-wave propagation through hydrocarbon flame. C.J. Gibbins and R. Chadha p169

RADAR AND RADIONAVIGATION

Correction of propagation effects in *S*-band circular polarisation-diversity radars. D.H.O. Bebbington, R. McGuinness and A.R. Holt p431
Dual-function multi-way uniform combline directional couplers for application to monopulse feed system. S. Islam and J.E. Carroll p481
Long-range propagation experiment to investigate the incidence of anomalous propagation in the North Atlantic. J. Clarke and G. Rider p65
Moldelling propagation effects in the use of *S*-band polarisation-diversity radars. R. McGuinness, D.H.O. Bebbington and A.R. Holt p423
Multiple beam forming for planar antenna arrays using a three-dimensional Rotman lens. G.C. Sole and M.S. Smith p375
Terrain modelling of glideslope for instrument landing system. M.M. Poulose, P.R. Mahapatra and N. Balakrishnan p275 e404

RADIATION

Low-cost flat-plate array with squinted beam for DBS reception. A. Henderson p509

RADIO-WAVE PROPAGATION (MICROWAVE)

Analysis of multipath fading on line-of-sight links in the presence of an elevated atmospheric duct. S.F. Mahmoud, H.N. Boghdady and O.L. El-Sayed p71
Analysis of the statistical distribution of accumulated thermal noise in a multi-link microwave system. J.D. Kanellopoulos and N.J. Kolliopoulos p467
Correction of propagation effects in *S*-band circular polarisation-diversity radars. D.H.O. Bebbington, R. McGuinness and A.R. Holt p431
Long-range propagation experiment to investigate the incidence of anomalous propagation in the North Atlantic. J. Clarke and G. Rider p65
Moldelling propagation effects in the use of *S*-band polarisation-diversity radars. R. McGuinness, D.H.O. Bebbington and A.R. Holt p423

RADIO-WAVE PROPAGATION (MILLIMETRE WAVE)

Role of particle-size distributions on millimetre-wave propagation in sand/duststorms. A.S. Ahmed p55

RADIO-WAVE PROPAGATION (TERRAIN EFFECTS)

Stochastic model for pulsed radio transmission through stratified forests. S. Şeker and A. Schneider p361 e501
Terrain modelling of glideslope for instrument landing system. M.M. Poulose, P.R. Mahapatra and N. Balakrishnan p275 e404

SATELLITE LINKS AND SPACE COMMUNICATION

Comparative study of reflector antennas for small earth stations. P.J.B. Clarricoats, R.C. Brown and P. Ramanujam p538
Highly shaped beam telemetry antenna for the ERS-1 satellite. A. Kumar p106

SCHOTTKY-BARRIER DEVICES

New method for the analysis of dual-gate MESFET mixers. J. Dreifuss, A. Madjar and A. Bar-Lev p11

SEMICONDUCTOR DEVICES AND MATERIALS

Integral analysis of hybrid coupled semiconductor phase shifters. M.H. Kori and S. Mahapatra p156 e252
New method for the analysis of dual-gate MESFET mixers. J. Dreifuss, A. Madjar and A. Bar-Lev p11

TRANSMISSION LINES

Effects of an intervening airgap on the two fundamental modes of a surface waveguide. M.V. Andres and V. Such p1
Hybrid-mode analysis of shielded single and coupled slotlines on a suspended substrate. T.N. Chang p327
Quasistatic and hybrid-mode analysis of shielded coplanar waveguide with thick metal coating. T. Kitazawa and Y. Hayashi p321
Transverse modal analysis of multilayer microstrip transmission lines. T.N. Chang p324

WAVEGUIDES AND WAVEGUIDE COMPONENTS

A generalised network formulation for a class of waveguide coupling problems. Sachendra N. Sinha p502
Conductance of a longitudinal, resonant slot in a ridge waveguide. K. Falk p98
Cutoff frequencies of waveguides of arbitrary cross-section: optimisation of Kohn-Kato bounds. P.A.A. Laura and V.H. Cortínez p226
Cylindrical surface waveguide modes using a surface impedance dyadic method. M.V. Andres and V. Such p130 e252
Design of quarter-wave plates using a cavity-resonator technique. J. Helszajn p139
EM lens waveguide transition. A.P. Stone p181
Effects of an intervening airgap on the two fundamental modes of a surface waveguide. M.V. Andres and V. Such p1
Estimating the residual error from calibrating a reflectometer with a sliding termination. E.J. Griffin and T.E. Hodgetts p560
Exact solution of open-ended coaxial waveguide with centre conductor of infinite extent and applications. T.S. Bird p443
Finite-element analysis of parallel-plate feeds for linear phased arrays. Y. Kol and A. Frenkel p235
Hybrid-mode analysis of shielded single and coupled slotlines on a suspended substrate. T.N. Chang p327
Investigations on a new type of inclined-slot coupled T-junction. B.N. Das, G.S.N. Raju and A. Chakraborty p473
Modal analysis of dielectric-sleeve-loaded circular waveguide for dual-mode radiator applications. M.S. Leong, P.S. Kooi and S.P. Yeo p369
Mode classification in cylindrical surface waveguides. M.V. Andres and V. Such p389
Mode nomenclature of circular gyromagnetic and anisotropic waveguides with magnetic and open walls. J. Helszajn and A.A.P. Gibson p488
Multiple beam forming for planar antenna arrays using a three-dimensional Rotman lens. G.C. Sole and M.S. Smith p375
Odd- and even-mode coupled-slot fin-line circuits. D.B. Sillars p229
Quasistatic and hybrid-mode analysis of shielded coplanar waveguide with thick metal coating. T. Kitazawa and Y. Hayashi p321
Rigorous analysis of dielectric rod waveguides with flat cross-section. T. Miyamoto p16
Sensitive method of measuring dielectric losses at microwave frequencies. U. Farooq p397
Using the least-squares boundary residual method to model the symmetrical five-port waveguide junction. A.L. Cullen and S.P. Yeo p116
Variational method for coplanar waveguide with anisotropic substrates. T. Kitazawa and Y. Hayashi p7
WRD 200 90° waveguide differential phase-shift section. W.I. Hastings and J. Helszajn p223